

APPENDIX C : Statistical Tables

Table C1 Critical Values for the Pearson Product-Moment Correlation Coefficient

df	Level of significance for a one-tail test				
	.05	.025	.01	.005	.0005
	Level of significance for a two-tail test				
	.10	.05	.02	.01	.001
1	.9877	.9969	.9995	.9999	
2	.9000	.9500	.9800	.9900	.9990
3	.8054	.8783	.9343	.9587	.9912
4	.7293	.8114	.8822	.9172	.9741
5	.6694	.7545	.8329	.8745	.9507
6	.6215	.7067	.7887	.8343	.9249
7	.5822	.6664	.7498	.7977	.8982
8	.5494	.6319	.7155	.7646	.8721
9	.5214	.6021	.6851	.7348	.8471
10	.4973	.5760	.6581	.7079	.8233
11	.4762	.5529	.6339	.6835	.8010
12	.4575	.5324	.6120	.6614	.7800
13	.4409	.5139	.5923	.6411	.7603
14	.4259	.4973	.5742	.6226	.7420
15	.4124	.4821	.5577	.6055	.7246
16	.4000	.4683	.5425	.5897	.7084
17	.3887	.4555	.5285	.5751	.6932
18	.3783	.4438	.5155	.5614	.6787
19	.3687	.4329	.5034	.5487	.6652
20	.3598	.4227	.4921	.5368	.6524
25	.3223	.3809	.4451	.4869	.5974
30	.2960	.3494	.4093	.4487	.5541
35	.2746	.3246	.3810	.4182	.5189
40	.2573	.3044	.3578	.3932	.4896
45	.2428	.2875	.3384	.3721	.4648
50	.2306	.2732	.3218	.3541	.4433
60	.2108	.2500	.2948	.3248	.4078
70	.1954	.2319	.2737	.3017	.3799
80	.1829	.2172	.2565	.2830	.3568
90	.1726	.2050	.2422	.2673	.3375
100	.1638	.1946	.2301	.2540	.3211

Source: Fisher & Yates in Moore, 1983, p. 417

Table C2 Critical Values of Spearman rho Rank-Order Correlation

n	$\alpha = 0.01$		$\alpha = 0.05$	
	one tail	two tails	one tail	two tails

3	1.00	1.00	.99	1.00
4	.98	.99	.90	.95
5	.93	.96	.81	.88
6	.88	.92	.73	.81
7	.83	.87	.67	.75
8	.79	.83	.62	.71
9	.75	.80	.58	.67
10	.72	.76	.54	.63
11	.69	.73	.52	.60
12	.66	.71	.50	.58
13	.63	.68	.48	.53
14	.61	.66	.46	.53
15	.59	.64	.44	.51
16	.57	.61	.42	.50
17	.56	.61	.41	.48
18	.54	.59	.40	.47
19	.53	.59	.39	.46
29	.52	.56	.38	.44
21	.50	.55	.37	.43
22	.49	.54	.36	.42
23	.48	.54	.35	.41
24	.47	.53	.34	.40
25	.46	.52	.34	.40
26	.45	.51	.33	.39
27	.45	.49	.32	.38
28	.44	.48	.32	.37
29	.43	.47	.31	.37
30	.42	.46	.31	.36

From Braser & Braser, 1995, p. A25

Table C3 Critical Values of t

df	Level of significance for a one-tail test				
	.05	.025	.01	.005	.0005
	Level of significance for a two-tail test				
	.10	.05	.02	.01	.001

1	6.314	12.706	31.821	63.657	63.619
2	2.920	4.303	6.965	9.925	31.598
3	2.353	3.182	4.541	5.841	12.924
4	2.132	2.776	3.747	4.604	8.610
5	2.015	2.571	3.365	4.032	6.869
6	1.943	2.447	3.143	3.707	5.959
7	1.895	2.365	2.998	3.499	5.408
8	1.860	2.306	2.896	3.355	5.041
9	1.833	2.262	2.821	3.250	4.781
10	1.812	2.228	2.764	3.169	4.587
11	1.796	2.201	2.718	3.106	4.437
12	1.782	2.179	2.681	3.055	4.318
13	1.771	2.160	2.650	3.012	4.221
14	1.761	2.145	2.624	2.977	4.140
15	1.753	2.131	2.602	2.947	4.073
16	1.746	2.120	2.583	2.921	4.015
17	1.740	2.110	2.567	2.898	3.965
18	1.734	2.101	2.552	2.878	3.922
19	1.729	2.093	2.539	2.861	3.883
20	1.725	2.086	2.528	2.845	3.850
21	1.721	2.080	2.518	2.831	3.819
22	1.717	2.074	2.508	2.819	3.792
23	1.714	2.069	2.500	2.807	3.767
24	1.711	2.064	2.492	2.797	3.745
25	1.708	2.060	2.485	2.787	3.725
26	1.706	2.056	2.479	2.779	3.707
27	1.703	2.052	2.473	2.771	3.690
28	1.701	2.048	2.467	2.763	3.674
29	1.699	2.045	2.462	2.756	3.659
30	1.697	2.042	2.457	2.750	3.646
40	1.684	2.021	2.423	2.704	3.551
60	1.671	2.000	2.390	2.660	3.460
120	1.658	1.980	2.358	2.617	3.373
oc	1.645	1.960	2.326	2.576	3.291

From Fisher & Yates in Moore (1983, p. 414)

Table C4 Critical Values of F (**F Distribution for ANOVA**)

df	1	2	3	4	5	6	7	8	9	10
----	---	---	---	---	---	---	---	---	---	----

1	161 4052	200 4999	216 5403	225 5625	230 5764	234 5859	237 5928	239 5981	241 6022	242 6056
2	18.51 98.48	19.00 99.01	19.16 99.17	19.25 99.25	19.30 99.30	19.33 99.33	19.36 99.34	19.37 99.36	19.38 99.38	19.39 99.40
3	10.13 34.12	9.55 30.81	9.28 29.46	9.12 28.71	9.01 28.24	8.94 27.91	8.88 27.67	8.84 27.49	8.81 27.34	8.78 27.23
4	7.71 21.20	6.95 18.00	6.59 16.69	6.39 15.98	6.26 15.52	6.16 15.21	6.09 14.98	6.04 14.80	6.00 14.66	5.96 14.54
5	6.61 16.26	5.79 13.27	5.41 12.06	5.19 11.39	5.05 10.97	4.95 1067	4.88 1045	4.82 10.27	4.78 10.15	4.74 10.05
6	5.99 13.74	5.14 10.92	4.76 9.78	4.53 9.15	4.39 8.75	4.28 8.47	4.21 8.26	4.15 8.10	4.10 7.98	4.06 7.87
7	5.59 12.25	4.74 9.55	4.35 8.45	4.12 7.85	3.97 7.46	3.87 7.19	3.79 7.00	3.73 6.84	3.68 6.71	3.63 6.62
8	5.32 11.26	4.46 8.65	4.07 7.59	3.84 7.01	3.69 6.63	3.58 6.37	3.50 6.19	3.44 6.03	3.39 5.91	3.34 5.82
9	5.12 10.56	4.26 8.02	3.86 6.99	3.63 6.42	3.48 6.06	3.37 5.80	3.29 5.62	3.23 5.47	3.18 5.35	3.13 5.26
10	4.96 10.04	4.10 7.56	3.71 6.55	3.48 5.99	3.33 5.64	3.22 5.39	3.14 5.21	3.07 5.06	3.02 4.95	2.97 4.85
11	4.84 9.65	3.98 7.20	3.59 6.22	3.36 5.67	3.20 5.32	3.09 5.07	3.01 4.88	2.95 4.74	2.90 4.63	2.86 4.54
12	4.75 9.33	3.88 6.93	3.49 5.95	3.26 5.41	3.11 5.06	3.00 4.82	2.92 4.65	2.85 4.50	2.80 4.39	2.76 4.30

Critical Values of F (continued)

13	4.67 9.07	3.80 6.70	3.41 5.74	3.18 5.20	3.02 4.86	2.92 4.62	2.84 4.44	2.22 4.30	2.72 4.19	2.67 4.10
14	4.60 8.86	3.74 6.51	3.34 5.56	3.11 5.03	2.96 4.69	2.85 4.46	2.77 4.28	2.70 4.14	2.65 4.03	2.60 3.94
15	4.54 8.68	3.68 6.36	3.29 5.42	3.06 4.89	2.90 4.56	2.79 4.32	2.70 4.14	2.64 4.00	2.59 3.89	2.55 3.80

16	4.49 8.53	3.63 6.23	3.24 5.29	3.01 4.77	2.85 4.44	2.74 4.20	2.66 4.03	2.59 3.89	2.54 3.78	2.49 3.69
17	4.45 8.40	3.59 6.11	3.20 5.18	2.96 4.67	2.81 4.34	2.70 4.10	2.62 3.93	2.55 3.79	2.50 3.68	2.45 3.59
18	4.41 8.28	3.55 6.01	3.16 5.09	2.93 4.58	2.77 4.25	2.66 4.01	2.58 3.85	2.51 3.71	2.46 3.60	2.41 3.51
19	4.38 8.18	3.52 5.93	3.13 5.01	2.90 4.50	2.74 4.17	2.63 3.94	2.55 3.77	2.48 3.63	2.43 3.52	2.38 3.43
20	4.35 8.10	3.49 5.85	3.10 4.94	2.87 4.43	2.71 4.10	2.60 3.87	2.52 3.71	2.45 3.56	2.40 3.45	2.35 3.37
21	4.32 8.02	3.47 5.78	3.07 4.87	2.84 4.37	2.68 4.04	2.57 3.81	2.49 3.65	2.42 3.51	2.37 3.40	2.32 3.31
22	4.30 7.94	3.44 5.72	3.05 4.82	2.82 4.31	2.66 3.99	2.55 3.76	2.47 3.59	2.40 3.45	2.35 3.35	2.30 3.26
23	4.28 7.88	3.42 5.66	3.03 4.76	2.80 4.26	2.64 3.94	2.53 3.71	2.45 3.54	2.38 3.41	2.32 3.30	2.28 3.21
24	4.26 7.82	3.40 5.61	3.01 4.72	2.78 4.22	2.62 3.90	2.51 3.67	2.43 3.50	2.36 3.36	2.30 3.25	2.26 3.17

Critical Values of F (continued)

25	4.24 7.77	3.38 5.57	2.99 4.68	2.76 4.18	2.60 3.86	2.49 3.63	2.41 3.46	2.34 3.32	2.28 3.21	2.24 3.13
26	4.21 7.68	3.37 5.53	2.89 4.64	2.74 4.14	2.59 3.82	2.47 3.59	2.39 3.42	2.32 3.29	2.27 3.17	2.22 3.09
27	4.21 7.68	3.35 5.49	2.96 4.60	2.73 4.11	2.57 3.79	2.46 3.56	2.37 3.39	2.30 3.26	2.25 3.14	2.20 3.06
28	4.20 7.64	3.34 5.45	2.95 4.57	2.71 4.07	2.56 3.76	2.44 3.53	2.36 3.36	2.29 3.23	2.24 3.11	2.19 3.03
29	4.18 7.60	3.33 5.52	2.93 4.54	2.70 4.04	2.54 3.73	2.43 3.50	2.35 3.32	2.28 3.20	2.22 3.08	2.18 3.00
30	4.17 7.56	3.32 5.39	2.92 4.51	2.69 4.02	2.53 3.70	2.42 3.47	2.34 3.30	2.27 3.17	2.21 3.06	2.16 2.98
32	4.15 7.50	3.30 5.34	2.90 4.46	2.67 3.97	2.51 3.66	2.40 3.42	2.32 3.25	2.25 3.12	2.19 3.01	2.14 2.94
34	4.13 7.44	3.28 5.29	2.88 4.42	2.65 3.93	2.49 3.61	2.38 3.38	2.30 3.21	2.23 3.08	2.17 2.97	2.21 2.89
36	4.11 7.39	3.26 5.25	2.86 4.38	2.63 3.89	2.48 3.58	2.36 3.35	2.28 3.18	2.21 3.04	2.15 2.94	2.10 2.86
38	4.10 7.35	3.25 5.21	2.85 4.34	2.62 3.86	2.46 3.54	2.35 3.32	2.26 3.15	2.19 3.02	2.14 2.91	2.09 2.82
40	4.08 7.31	3.23 5.18	2.84 4.31	2.61 3.83	2.45 3.51	2.34 3.29	2.25 3.12	2.18 2.99	2.12 2.88	2.07 2.80
42	4.07 7.27	3.22 5.15	2.83 4.29	2.59 3.80	2.44 3.49	2.32 3.26	2.24 3.10	2.17 2.96	2.11 2.86	2.06 2.77

Critical Values of F (continued)

44	4.06 7.24	3.21 5.12	2.82 4.26	2.58 3.78	2.43 3.46	2.31 3.24	2.23 3.07	2.16 2.94	2.10 2.84	2.05 2.75
46	4.05 7.21	3.20 5.10	2.81 4.24	2.57 3.76	2.42 3.44	2.30 3.22	2.22 3.05	2.14 2.92	2.09 2.82	2.04 2.73
48	4.04 7.19	3.19 5.08	2.80 4.22	2.56 3.74	2.41 3.42	2.30 3.20	2.21 3.04	2.14 2.90	2.09 2.80	2.03 2.71
50	4.03 7.17	4.03 7.17	2.79 4.20	2.56 3.72	2.40 3.41	2.29 3.18	2.20 3.02	2.13 2.88	2.07 2.78	2.02 2.70
55	4.02 7.12	4.02 7.12	2.78 4.16	2.54 3.68	2.38 3.37	2.27 3.15	2.18 2.98	2.11 2.85	2.05 2.75	2.00 2.66
60	4.00 7.08	4.00 7.08	2.76 4.13	2.52 3.65	2.37 3.34	2.25 3.12	2.17 2.95	2.10 2.82	2.04 2.72	1.99 2.63
65	3.99 7.04	3.14 4.95	2.75 4.10	2.51 3.62	2.36 3.31	2.24 3.09	2.15 2.93	2.08 2.79	2.02 2.70	1.98 2.61
70	3.98 7.01	3.13 4.92	2.74 4.08	2.50 3.60	2.35 3.29	2.32 3.07	2.14 2.91	2.07 2.77	2.01 2.67	1.97 2.59
80	3.96 4.06	3.11 4.88	2.72 4.04	2.48 3.56	2.33 3.25	2.21 3.04	2.12 2.87	2.05 2.74	1.99 2.64	1.95 2.55
100	3.94 6.90	3.09 4.82	2.70 3.98	2.46 3.51	2.30 3.20	2.19 2.99	2.10 2.82	2.03 2.69	1.97 2.59	1.92 2.51

Down the side of the table, find the *df* for the degrees of freedom within (N-K). Then find the *df* across the top of the table for *df between* (K-1). In the intersection of the row and the column, you will find the F_{crit} needed to reject the H_0 . The upper value is for $p = .05$, the lower value is for $p = .01$. If the observed value of F is *equal to* or *larger* than the value shown in the table, you can reject the H_0 .

Source: Hatch & Lazaraton, 1991, pp 599-601

Table C5 Critical Values for Chi-square (X^2)

df	.10	.05	.025	.01	.001
----	-----	-----	------	-----	------

1	2.71	3.84	5.02	6.64	10.83
2	4.60	5.99	7.38	9.21	13.82
3	6.25	7.82	9.35	11.35	16.27
4	7.78	9.49	11.14	13.28	18.47
5	9.49	11.07	12.83	15.09	20.52
6	10.65	12.59	14.45	16.81	22.46
7	12.02	14.07	16.01	18.48	24.32
8	13.36	15.51	17.54	20.09	26.13
9	14.68	16.92	19.02	21.67	27.88
10	15.99	18.31	20.48	23.21	29.59
11	17.28	19.68	21.92	24.73	31.26
12	18.55	21.03	23.34	26.22	32.91
13	19.81	22.36	24.74	27.69	34.53
14	21.06	23.69	26.12	29.14	36.12
15	22.31	25.00	27.49	30.58	37.70
16	23.54	26.30	28.85	31.10	39.25
17	24.77	27.59	30.19	33.41	40.79
18	25.99	28.87	31.53	24.81	42.31
19	27.20	30.14	32.85	36.19	43.82
20	28.41	31.41	34.17	37.57	45.32
25	34.38	37.65	49.65	44.31	50.62
30	40.26	43.77	46.98	50.89	59.70
40	51.81	55.76	59.34	63.69	73.40
50	63.17	67.51	71.42	76.15	86.66
60	74.40	79.08	83.30	88.38	99.61
70	85.53	90.53	95.02	100.43	112.32
80	96.58	101.88	106.63	112.33	124.84
90	107.57	113.15	118.14	124.12	137.21
100	118.50	124.34	129.56	135.81	149.45

Look for the appropriate degrees of freedom down the side of the table. Then locate the column for the probability level you select to test the H_0 . Check the intersection of this row and column for critical value. To reject the H_0 , the observed χ^2 value must be *equal to greater than* the critical value shown in the table.

Source: Hatch & Lazaraton, 1991, p. 603

(The last digits have been rounded off.)